

Rotary Encoder Platform: ECI/EQI 1100 and ECI/EQI 1300

Optimal solutions for your applications

www.heidenhain.com/products/rotary-encoders/internal

Next-generation motor feedback

The ECI/EQI platform offers inductive rotary encoders with a mutually compatible mounting design and easy installation, resulting in greater versatility, time savings and reduced costs. Their high-resolution inductive scanning technology and ability to collect operating data make them the optimal choice for servomotors of all performance levels.





ECI/EQI rotary encoder platform

	ECI/EQI 1100				
	ECI 1119/EQI 1131	ECI 1122/EQI 1134			
Positions per revolution	524 288 (19 bits)	4 194 304 (22 bits)			
Revolutions	-/4096 (12 bits)				
Functional safety	SIL 2*	SIL 3			
System accuracy	±120''	±65''			
Shaft speed for singleturn/ multiturn	≤ 12000 rpm ≤ 8000 rpm	≤ 15000 rpm ≤ 12000 rpm			
Axial tolerance	±0.5 mm	±0.4 mm			
Operating temperature	–20 °C to +115 °C	–40 °C to +115 °C			
External temperature sensor	KTY, PT1000	KTY, PT1000			
Operating data	\checkmark	\checkmark			
Built-in vibration analysis	-	-			

* SIL 3 possible after additional measures taken in the downstream electronics



ECI/EQI 1300				
ECI 1323/EQI 1335	ECI 1323 Splus/EQI 1335 Splus			
8 388 608 (23 bits)	8 388 608 (23 bits)			
-/4096 (12 bits)				
SIL 3	-			
±40''	±40''			
≤ 15000 rpm ≤ 12000 rpm	≤ 15000 rpm ≤ 12000 rpm			
±0.5 mm	±0.5 mm			
–40 °C to +115 °C	–40 °C to +115 °C			
KTY, PT1000	KTY, PT1000			
\checkmark	✓			
-	√ 			

C

System monitoring

Operating data collection and diagnostics with EnDat 3

Today's machines are able to monitor themselves, track their own wear and even selfoptimize during operation. But this is possible only if a machine can exchange information between its servomotors, sensors and control unit. HEIDENHAIN encoders support this capability by enabling extensive intra-machine communication while providing functions that enhance the reliability and efficiency of servomotors.



HMC 2 hybrid motor cable

Cost and quality benefits from the HEIDENHAIN single-cable solution



Functional safety

Suitability for functionally safe applications up to SIL 3



Temperature tracking

Early detection of wear and excessive loading on the motor-shaft bearing through temperature feedback from the HEIDENHAIN rotary encoder; this feedback is sent to the drive via the EnDat interface



Scanning-gap tracking

Output of the inductive encoder's scanning gap to detect phenomena such as high forces acting on the motor shaft during operation



Diagnostics

Cyclical output of valuation numbers during normal operation for verifying proper encoder functioning

Operating data



These next-generation inductive encoders are the first to offer operating data collection. During operation, the following types of data are collected and stored in the encoder's non-volatile memory:

- Periodic data: performance data, histogram and operating statuses
- Conditional data: Extreme values for temperature, shaft speed and more
- Status-triggered data: Logging of error messages and warnings (e.g., regarding the position, temperature or speed, including a time stamp)

Collecting this application-specific data enables:

- Condition monitoring
- Support during servicing
- Quality management

The data can be retrieved directly over the EnDat 3 interface or by a HEIDENHAIN testing or inspection device. The ATS software from HEIDENHAIN allows users to visualize the collected data in tables and histograms.

Heatmap								
	n1 (<100 1/min)	n2 (<1600 1/min)	n3 (<3100 1/min)	n4 (<6100 1/min)	n5 (<9100 1/min)	n6 (<12100 1/min)	n7 (<15100 1/min)	n8 (>15100 1/min)
T1 (<-10 °C)								
T2 (<16 *C)						<u></u>		
T3 (<50 °C)								
T4 (<85 *C)								
T6 (<100 °C)								
T6 (<115 °C)								
T7 (<126 *C)								
T8 (>125 °C)								

A typical heat map (showing temperature relative to shaft speed during operation)

Operating status monitoring with Splus

The ECI 1323 Splus and EQI 1335 Splus rotary encoders

Featuring a built-in 3D accelerometer with vibration analysis performed inside the encoder, the ECI 1323 *Splus* and EQI 1335 *Splus* inductive rotary encoders are a highly efficient solution for operating status monitoring. With this added functionality, users can detect damage to rotating machine components at an early stage.

Splus technology enables various analyses:

- RMS value
- (root mean square)Frequency analysis
- Order analysis

Thanks to high-performance vibration analysis inside the encoder, the additional feedback from HEIDENHAIN *Splus* technology unlocks new approaches to process optimization:

- + Identification of the damaged part through frequency and order analysis
- + Effective in-process operating status monitoring
- + Low hardware costs thanks to full integration within the encoder

Splus functionality

- Detailed position and vibration data are provided by the encoder.
- Acceleration signals are collected and processed inside the encoder, providing vibration analysis.
- Synchronized position and acceleration signals enable order analysis.
- Data transmission and configuration are performed via the highperformance EnDat 3 interface.



New

Inductive scanning

Robust, reliable and accurate

The ECI/EQI rotary encoders utilize inductive scanning technology. These inductive rotary encoders are made up of a graduated disk featuring copperalloy graduation structures accompanied by a scanning unit equipped with a field coil and multiple receiver coils. As the graduated disk rotates, the amplitude and phase of the resulting high-frequency signal are modulated. Thanks to circumferential scanning, the signals from all receiver coils are used to determine the position value. Highly robust scanning, wide mounting tolerances and high resolution are the result.



Inductive scanning: easy and reliable position feedback





Get more out of your servomotors

The rotary encoders of the ECI/EQI platform offer key benefits for compact servomotors in automation applications, including low noise, low speed ripple, streamlined cabling and operating data tracking.

Exl 1100 series

Exl 1300 series





HEIDENHAIN

DR. JOHANNES HEIDENHAIN GmbH

www.heidenhain.com